

FLOW T-3734S

suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description

Suspension lamp with a smashed, tubular aluminium shade and acrylic (PMMA) lens diffuser.
Adjustable height.




Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Code	Lamp	Finish canopy	Finish body
■ T-3734S	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) 100V - 240V (included) Typ* 665 lumens	■ 26 BLK Black ■ 71 WH White	■ 26 BLK Black ■ 61 S GLD Satin Gold ■ CUSTOM

Product includes

Code	Description
■ 113534XX0	1 canopy for 1 single pendant
■ T-3734C	1 Flow pendant
■ 671000038	1 driver / Non dimmable



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions

FLOW T-3734R

suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	







Ordering information

Code	Lamp
■ T-3734R	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) ▶ A 100V - 240V (included) Typ* 665 lumens

Finish canopy	
■ 26 BLK	Black
■ 71 WH	White

Finish body	
■ 26 BLK	Black
■ 61 S GLD	Satin Gold
■ CUSTOM	

Driver	Description
■ 671000038	DRIVER FLOW (Max. 1x6,1W) 100V - 240V Non Dimmable
■ 671000060	DRIVER FLOW (Max. 1x10W) / 230V Dimmable Triac
■ 671000034	DRIVER FLOW (Min. 2x6,1W - Max. 3x6,1W) 230V / Dimmable Triac
■ 671000056	DRIVER DALI FLOW (Min. 1x6,1W - Max. 3x6,1W) 230V / DALI Dimmable Remote driver



Ø 100 mm
Ø 4"



Ø 80mm drill
on false ceiling



Ø 100 mm
Ø 4"

max 3000 mm
max 118.1/8"



320 mm
12.5/8"



Ø 35 mm
Ø 1.3/8"

SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions

FLOW T-3734C








suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Ordering information

Code	Lamp	Finish body						
■ T-3734R	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) 100V - 240V (included) Typ* 665 lumens	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> <tr> <td>■ CUSTOM</td> <td></td> </tr> </table>	■ 26 BLK	Black	■ 61 S GLD	Satin Gold	■ CUSTOM	
■ 26 BLK	Black							
■ 61 S GLD	Satin Gold							
■ CUSTOM								

Driver	Description
■ 671000038	DRIVER FLOW (Max. 1x6,1W) 100V - 240V Non Dimmable
■ 671000060	DRIVER FLOW (Max 1x10W) / 230V Dimmable Triac
■ 671000034	DRIVER FLOW (Min. 2x6,1W - Max. 3x6,1W) 230V / Dimmable Triac
■ 671000056	DRIVER DALI FLOW (Min. 1x6,1W - Max. 3x6,1W) 230V / DALI Dimmable Remote driver



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions

FLOW T-3735S

suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description

Suspension lamp with a smashed, tubular aluminium shade and acrylic (PMMA) lens diffuser.
Adjustable height.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.




Ordering information

Code	Lamp	Finish canopy	Finish body
T-3735S	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) 100V - 240V (included) Typ* 665 lumens	26 BLK Black 71 WH White	26 BLK Black 61 S GLD Satin Gold CUSTOM

Product includes

Code	Description
113534XX0	1 canopy for 1 single pendant
T-3735C	1 Flow pendant
671000038	1 driver / Non dimmable



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions

FLOW T-3735R





suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Ordering information

Code	Lamp	Finish canopy	Finish body
■ T-3735R	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) 100V - 240V (included) Typ* 665 lumens	■ 26 BLK Black ■ 71 WH White	■ 26 BLK Black ■ 61 S GLD Satin Gold ■ CUSTOM

Driver	Description
■ 671000038	DRIVER FLOW (Max. 1x6,1W) 100V - 240V Non Dimmable
■ 671000060	DRIVER FLOW (Max. 1x10W) / 230V Dimmable Triac
■ 671000034	DRIVER FLOW (Min. 2x6,1W - Max. 3x6,1W) 230V / Dimmable Triac
■ 671000056	DRIVER DALI FLOW (Min. 1x6,1W - Max. 3x6,1W) 230V / DALI Dimmable Remote driver




Ø 100 mm
Ø 4"



Ø 80mm drill
on false ceiling

Ø 100 mm
Ø 4"



Ø 35 mm
Ø 1.3/8"

SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions

FLOW T-3735C








suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Ordering information

Code	Lamp	Finish body
■ T-3735R	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) 100V - 240V (included) Typ* 665 lumens	■ 26 BLK Black ■ 61 S GLD Satin Gold ■ CUSTOM

Driver	Description
■ 671000038	DRIVER FLOW (Max. 1x6,1W) 100V - 240V Non Dimmable
■ 671000060	DRIVER FLOW (Max. 1x10W) / 230V Dimmable Triac
■ 671000034	DRIVER FLOW (Min. 2x6,1W - Max. 3x6,1W) 230V / Dimmable Triac
■ 671000056	DRIVER DALI FLOW (Min. 1x6,1W - Max. 3x6,1W) 230V / DALI Dimmable Remote driver



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions

FLOW

T-3736S

suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description

Suspension lamp with a smashed, tubular aluminium shade and acrylic (PMMA) lens diffuser.
Adjustable height.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.




Ordering information

Code	Lamp	Finish canopy	Finish body
■ T-3736S	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) 100V - 240V (included) Typ* 665 lumens	■ 26 BLK Black ■ 71 WH White	■ 26 BLK Black ■ 61 S GLD Satin Gold ■ CUSTOM

Product includes

Code	Description
■ 113534XX0	1 canopy for 1 single pendant
■ T-3736C	1 Flow pendant
■ 671000038	1 driver / Non dimmable



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions



ESTILUZ, S.A.
Carretera d'Ogassa, s/n
17860 Sant Joan de les Abadesses
T+34 972 720 125
F+34 972 720 796

estiluz@estiluz.com
www.estiluz.com

FLOW T-3736R

suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	



Ordering information

Code	Lamp
■ T-3736R	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) ▶ A 100V - 240V (included) Typ* 665 lumens

Finish canopy	
■ 26 BLK	Black
■ 71 WH	White

Finish body	
■ 26 BLK	Black
■ 61 S GLD	Satin Gold
■ CUSTOM	

Driver	Description
■ 671000038	DRIVER FLOW (Max. 1x6,1W) 100V - 240V Non Dimmable
■ 671000060	DRIVER FLOW (Max. 1x10W) / 230V Dimmable Triac
■ 671000034	DRIVER FLOW (Min. 2x6,1W - Max. 3x6,1W) 230V / Dimmable Triac
■ 671000056	DRIVER DALI FLOW (Min. 1x6,1W - Max. 3x6,1W) 230V / DALI Dimmable Remote driver



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions

FLOW

T-3736C






suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Ordering information

Code	Lamp	Finish body
■ T-3736R	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) 100V - 240V (included) Typ* 665 lumens	■ 26 BLK Black ■ 61 S GLD Satin Gold ■ CUSTOM

Driver	Description
■ 671000038	DRIVER FLOW (Max. 1x6,1W) 100V - 240V Non Dimmable
■ 671000060	DRIVER FLOW (Max. 1x10W) / 230V Dimmable Triac
■ 671000034	DRIVER FLOW (Min. 2x6,1W - Max. 3x6,1W) 230V / Dimmable Triac
■ 671000056	DRIVER DALI FLOW (Min. 1x6,1W - Max. 3x6,1W) 230V / DALI Dimmable Remote driver



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions


FLOW T-3734C

suspension


Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Many possible configurations with T-3734C


Code	Composition includes												
L73.3S	1 linear canopy 113415XX1 3 units of T-3734C 1 driver 671000034 / Dimmable Triac Add up to 2 additional Flow												
	<table border="0"> <tr> <td>Canopy</td> <td>Shade</td> </tr> <tr> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table> </td> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table> </td> </tr> </table>	Canopy	Shade	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold
Canopy	Shade												
<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold				
26 BLK	Black												
71 WH	White												
26 BLK	Black												
61 S GLD	Satin Gold												



Code	Composition includes												
L92.4S	1 linear canopy 113415XX3 4 units of T-3734C 2 drivers 671000034 / Dimmable Triac Add up to 3 additional Flow												
	<table border="0"> <tr> <td>Canopy</td> <td>Shade</td> </tr> <tr> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table> </td> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table> </td> </tr> </table>	Canopy	Shade	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold
Canopy	Shade												
<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold				
26 BLK	Black												
71 WH	White												
26 BLK	Black												
61 S GLD	Satin Gold												



Code	Composition includes												
L165.6S	1 linear canopy 113415XX7 6 units of T-3734C 2 drivers 671000034 / Dimmable Triac Add up to 5 additional Flow												
	<table border="0"> <tr> <td>Canopy</td> <td>Shade</td> </tr> <tr> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table> </td> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table> </td> </tr> </table>	Canopy	Shade	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold
Canopy	Shade												
<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold				
26 BLK	Black												
71 WH	White												
26 BLK	Black												
61 S GLD	Satin Gold												




FLOW T-3534C


suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	


Code	Composition includes						
R40.3S	1 round canopy 113415XX6 3 units of T-3734C 1 driver 671000034 / Dimmable Triac						
	<table border="0"> <tr> <td>Canopy</td> <td>Shade</td> </tr> <tr> <td>26 BLK Black</td> <td>26 BLK Black</td> </tr> <tr> <td>71 WH White</td> <td>61 S GLD Satin Gold</td> </tr> </table>	Canopy	Shade	26 BLK Black	26 BLK Black	71 WH White	61 S GLD Satin Gold
Canopy	Shade						
26 BLK Black	26 BLK Black						
71 WH White	61 S GLD Satin Gold						



Code	Composition includes						
R70.7S	1 round canopy 113415XX4 7 units of T-3734C 3 drivers 671000034 / Dimmable Triac						
	<table border="0"> <tr> <td>Canopy</td> <td>Shade</td> </tr> <tr> <td>26 BLK Black</td> <td>26 BLK Black</td> </tr> <tr> <td>71 WH White</td> <td>61 S GLD Satin Gold</td> </tr> </table>	Canopy	Shade	26 BLK Black	26 BLK Black	71 WH White	61 S GLD Satin Gold
Canopy	Shade						
26 BLK Black	26 BLK Black						
71 WH White	61 S GLD Satin Gold						



Code	Composition includes						
R100.17S	1 round canopy 113415XX5 17 units of T-3734C 6 drivers 671000034 / Dimmable Triac						
	<table border="0"> <tr> <td>Canopy</td> <td>Shade</td> </tr> <tr> <td>26 BLK Black</td> <td>26 BLK Black</td> </tr> <tr> <td>71 WH White</td> <td>61 S GLD Satin Gold</td> </tr> </table>	Canopy	Shade	26 BLK Black	26 BLK Black	71 WH White	61 S GLD Satin Gold
Canopy	Shade						
26 BLK Black	26 BLK Black						
71 WH White	61 S GLD Satin Gold						




FLOW

T-3734C / T-3735C / T-3736C
suspension


Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Many possible configurations with T-3734C / T-3735C / T-3736C


Code	Composition includes												
L73.1S1M1L	1 linear canopy 113415XX1 1 unit of T-3734C 1 unit of T-3735C 1 unit of T-3736C 1 driver 671000034 / Dimmable Triac Add up to 2 additional Flow												
	<table border="0"> <tr> <td>Canopy</td> <td>Shade</td> </tr> <tr> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table> </td> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table> </td> </tr> </table>	Canopy	Shade	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold
Canopy	Shade												
<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold				
26 BLK	Black												
71 WH	White												
26 BLK	Black												
61 S GLD	Satin Gold												



Code	Composition includes												
L92.2S2L	1 linear canopy 113415XX3 2 units of T-3734C 2 units of T-3736C 2 drivers 671000034 / Dimmable Triac Add up to 3 additional Flow												
	<table border="0"> <tr> <td>Canopy</td> <td>Shade</td> </tr> <tr> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table> </td> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table> </td> </tr> </table>	Canopy	Shade	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold
Canopy	Shade												
<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold				
26 BLK	Black												
71 WH	White												
26 BLK	Black												
61 S GLD	Satin Gold												



Code	Composition includes												
L165.2S2M2L	1 linear canopy 113415XX7 2 units of T-3734C 2 units of T-3735C 2 units of T-3736C 2 drivers 671000034 / Dimmable Triac Add up to 5 additional Flow												
	<table border="0"> <tr> <td>Canopy</td> <td>Shade</td> </tr> <tr> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table> </td> <td> <table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table> </td> </tr> </table>	Canopy	Shade	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold
Canopy	Shade												
<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>71 WH</td> <td>White</td> </tr> </table>	26 BLK	Black	71 WH	White	<table border="0"> <tr> <td>26 BLK</td> <td>Black</td> </tr> <tr> <td>61 S GLD</td> <td>Satin Gold</td> </tr> </table>	26 BLK	Black	61 S GLD	Satin Gold				
26 BLK	Black												
71 WH	White												
26 BLK	Black												
61 S GLD	Satin Gold												




FLOW


T-3734C / T-3735C / T-3736C
suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Code	Composition includes												
R40.1S1M1L	1 round canopy 113415XX6 1 unit of T-3734C 1 unit of T-3735C 1 unit of T-3736C 1 driver 671000034 / Dimmable Triac												
	<table border="0"> <tr> <td style="text-align: center;">Canopy</td> <td style="border-left: 1px solid black; text-align: center;">Shade</td> </tr> <tr> <td> <table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 71 WH</td> <td>White</td> </tr> </table> </td> <td style="border-left: 1px solid black;"> <table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> </table> </td> </tr> </table>	Canopy	Shade	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 71 WH</td> <td>White</td> </tr> </table>	■ 26 BLK	Black	■ 71 WH	White	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> </table>	■ 26 BLK	Black	■ 61 S GLD	Satin Gold
Canopy	Shade												
<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 71 WH</td> <td>White</td> </tr> </table>	■ 26 BLK	Black	■ 71 WH	White	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> </table>	■ 26 BLK	Black	■ 61 S GLD	Satin Gold				
■ 26 BLK	Black												
■ 71 WH	White												
■ 26 BLK	Black												
■ 61 S GLD	Satin Gold												



Code	Composition includes												
R70.6S1L	1 round canopy 113415XX4 6 units of T-3734C 1 unit of T-3736C 3 drivers 671000034 / Dimmable Triac												
	<table border="0"> <tr> <td style="text-align: center;">Canopy</td> <td style="border-left: 1px solid black; text-align: center;">Shade</td> </tr> <tr> <td> <table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 71 WH</td> <td>White</td> </tr> </table> </td> <td style="border-left: 1px solid black;"> <table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> </table> </td> </tr> </table>	Canopy	Shade	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 71 WH</td> <td>White</td> </tr> </table>	■ 26 BLK	Black	■ 71 WH	White	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> </table>	■ 26 BLK	Black	■ 61 S GLD	Satin Gold
Canopy	Shade												
<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 71 WH</td> <td>White</td> </tr> </table>	■ 26 BLK	Black	■ 71 WH	White	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> </table>	■ 26 BLK	Black	■ 61 S GLD	Satin Gold				
■ 26 BLK	Black												
■ 71 WH	White												
■ 26 BLK	Black												
■ 61 S GLD	Satin Gold												



Code	Composition includes												
R100.11S5M1L	1 round canopy 113415XX5 11 units of T-3734C 5 units of T-3735C 1 unit of T-3736C 6 drivers 671000034 / Dimmable Triac												
	<table border="0"> <tr> <td style="text-align: center;">Canopy</td> <td style="border-left: 1px solid black; text-align: center;">Shade</td> </tr> <tr> <td> <table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 71 WH</td> <td>White</td> </tr> </table> </td> <td style="border-left: 1px solid black;"> <table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> </table> </td> </tr> </table>	Canopy	Shade	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 71 WH</td> <td>White</td> </tr> </table>	■ 26 BLK	Black	■ 71 WH	White	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> </table>	■ 26 BLK	Black	■ 61 S GLD	Satin Gold
Canopy	Shade												
<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 71 WH</td> <td>White</td> </tr> </table>	■ 26 BLK	Black	■ 71 WH	White	<table border="0"> <tr> <td>■ 26 BLK</td> <td>Black</td> </tr> <tr> <td>■ 61 S GLD</td> <td>Satin Gold</td> </tr> </table>	■ 26 BLK	Black	■ 61 S GLD	Satin Gold				
■ 26 BLK	Black												
■ 71 WH	White												
■ 26 BLK	Black												
■ 61 S GLD	Satin Gold												

