NEW WORKS.

Product Fact Sheet - Lighting - Tense Pendant Lamp, Ø90



Tense Pendant Lamp, Ø90 Panter & Tourron

Stretching to over one metre in length, the Tense pendant lamp appears like a soft cloud has floated in. A truly modern construction, its soft Tyvek diffuser represents a material both durable and soft – whilst being 100% recyclable. The flexibility of this paper-like diffuser allows its slim frame to accentuate the cloud like qualities of the Tense pendant lamp. Finished with a slimline LED light source, all components fit into a slim box for ease of transport. A truly modern approach to lighting.

About the designer Panter & Tourron

With a strong focus on research into new formal codes and visual experiences, the Swiss studio of Panter & Tourron works at the intersection of technology, design and society. Material and technological innovation allows for unexpected work that is set to redefine a new vision of luxury. Fresh from collecting the Dezeen Award for their innovative Tense collection, the studio pushes the boundaries of contemporary design today.

Ean NoItem NoVariation571282621210321210White Tyvek

NEW WORKS.

Product Fact Sheet - Lighting - Tense Pendant Lamp, Ø90

Specifications

Product Name Tense Pendant Lamp

Designer Panter & Tourron

Year 2020

Category Lighting

Type Pendant

Material Shade in Tyvek membrane (100% recyclable) tightened up

with carbon rods, cord in black PVC and dimmable LED light

source.

Colour/Variant White Tyvek

Product Dimensions H: 150 \times D: 800 \times W: 900 mm

Packaging Dimensions H: 520 x W: 1065 x D: 120 mm

Cord Black PVC cord, L: 5000 mm, Ø: 4 mm

Canopy Ø: 195 x H: 50 mm (holds driver and excess cord)

Weight (incl. Packaging) - kg

Light Source LED 22W, 3000K (Results in approx. 2700K through lamp shade)

Mains dimmable, trailing edge, no digital transformer needed.

150 mm

Output: 36 Va / 550 Ma

Input: 230VA/110mA, 50/60Hz, PF=0,95


Lumen: 2,000 lm, CRI: 80.

Bulb Light source included. Min. 50,000 hours.

Certification CE, Class II, IP22

County of origin China

Master packaging 1



900 mm

Cleaning & Care Guide

Turn off the electricity before cleaning the lamp. Clean gently with a duster.

Safety Precautions

The lamp is only intended for indoor use, and consult a professionally qualified electrician if any doubt.

NEW WORKS.

Product Fact Sheet - Lighting - Tense Pendant Lamp, Ø90

Details









